

According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

## **SECTION 1: IDENTIFICATION**

1.1 Product identifier

Product Name Shodex STANDARD P-82

Synonyms: P-82, P-800, P-400, P-200, P-100, P-50, P-20, P-10, P-5

1.2 Other means of identification

SDS number: SD-009AU

1.3 Recommended use of the chemical and restrictions on use

Recommended use(s)

Calibration standard for size exclusion chromatography
Uses other than those specified by the manufacturer.

1.4 Details of the manufacturer or importer

Distributor Company name: Resonac Asia Pacific Pte. Ltd.

Telephone +65-6836 6988

Manufacturer Resonac Corporation

Address Functional Chemicals Business Unit / Specialty Chemicals

Department

Tokyo Shiodome Building, 1-9-1, Higashi-Shimbashi, Minato-ku, Tokyo

105-7325, Japan +81-3-6263-8112

Telephone +81-3-6263-8112
Email rec shodex@resonac.com

## **SECTION 2: HAZARD(S) IDENTIFICATION**

2.1 Classification of the substance or mixture

GHS Revision 7 (2017): Reproductive toxicity Category 1B, H360

2.2 Label elements



Hazard pictograms:

Signal word: Danger.

**Hazard statements:** H360: May damage fertility or the unborn child.

**Precautionary statements:** 

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P308 + P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/containers in accordance with

local/state/federal regulations.

#### 2.3 Other hazards which do not result in classification

None.

#### 2.4 Additional information

None.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

Name	CAS Number	Weight % Content
Pullulan	9057-02-7	≥90
Methanol	67-56-1	<1
Water	7732-18-5	<10

## **SECTION 4: FIRST-AID MEASURES**

## 4.1 Description of necessary first-aid measures

Inhalation: If a large amount of powder or dust is inhaled, remove victim to fresh air. If the victim is

vomiting, turn the head to the side to prevent suffocation. Get medical advice/attention if

needed.

**Skin Contact:** Wash off thoroughly with plenty of water and soap if needed.

If skin irritation or rash occurs: Get medical advice/attention. Remove/Take off immediately all contaminated clothing.

Eye Contact: Immediately rinse with clean running water for several minutes (at least 15 minutes is

recommended). Remove contact lenses if present and easy to do. To ensure thorough washing, open the eyelids to allow water flush all over the eyeball/lid. Continue rinsing.

If eye irritation persists: Get medical advice/attention.



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

**Ingestion:** Rinse inside the mouth thoroughly with water and immediately get medical

advice/attention. If possible, it is preferable to induce vomit by drinking plenty of water.

#### 4.2 Most important symptoms/effects, acute and delayed

May damage fertility or the unborn child.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treatment based on judgment of the doctor in response to symptoms of the patient.

#### 4.4 Protection of first-aid providers

Wear personal protective equipment as detailed in Section 8 Exposure controls/personal protection. Respiratory protection may also be required in areas where ventilation is low or exposure to dust is possible.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable Extinguishing Media Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray (fog)

Unsuitable Extinguishing Media Avoid high pressure media which could cause the formation of potentially

explosive dust-air mixture.

#### 5.2 Special hazards arising from the substance or mixture

High concentration of airborne dust in the presence of an ignition source may result in dust explosions.

### 5.3 Special protective equipment and precautions for fire fighters

Fire-fighting personnel must wear approved self-contained breathing apparatus and full protective clothing as standard.

Evacuate personnel to a safe area.

Keep unauthorised personell away from fire.

Extinguish the fire from windward position.

Avoid raising dust.

Prevent fire-fighting water from entering environment.

If safe to do so, remove containers from the vicinity of the fire, for non-transferable keep cool with water spray (fog).

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Only allow authorized personnel in the area utilising the appropriate personal protective equipment. For details of protective equipment, see Section 8.

Immediately isolate spillage area.

Stop leak if safe to do so.

Avoid creating airborne dust.

Ensure adequate ventilation following completion of clean-up and containment procedures.



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

#### 6.2 Environmental precautions

Avoid release to the environment.

Prevent the product from entering into river, sewerage or drain system.

### 6.3 Methods and materials for containment and cleaning up

For containment: Stop leakage if safe to do so.

For cleaning up: Carefully sweep scattered product into a suitable empty sealable container for disposal.

Wear protective equipment during containment/clean-up operations.

## 6.4 Reference to other sections

For details on exinguishing media, see Section 5 For details on personal protection, see Section 8.

For details disposal of waste from clean up operations, see Section 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Utilise engineering controls and wear protective gloves/protective clothing/eye protection/face protection as specified in "Section 8 Exposure controls/personal protection".

Handle product only in closed system or provide appropriate exhaust ventilation.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use explosion-proof equipment.

Prevent the build-up of electrostatic charge.

Avoid dust formation.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Avoid contact during pregnancy/while nursing.

Prevent shock/impact.

Wash contaminated clothing before reuse.

Wash hands thoroughly after handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated place.

Keep away from heat.

Keep out of direct sunlight.

Proper grounding procedures to avoid static electricity should be followed.

Use explosion-proof electrical equipment, ventilation equipment, and lighting equipment.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

8.1.1 Occupational exposure limits

AUS HSIS: Methanol - 200ppm (262mg/m<sup>3</sup>) 8 hour 250ppm (328 mg/m<sup>3</sup>) ST (skin)



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

#### 8.1.2 Biological monitoring

None established.

#### 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Install local exhaust ventilation to keep the concentration of airborne dust below the recommended limits. Install hand, eye wash facilities and safety shower near work area.

#### 8.2.2 Personal protection equipment

Eye/face protection Wear dust resistant protective glasses, chemical googles or face protector.

In accordance with the standards, AS/NZS 1336 and AS/NZS 1337 on selection of

eye protection.

Hand protection Protective gloves are recommended when handling as described by standard,

AS/NZS 2161 on occupational protective gloves where extensive skin contact is

expected.

Respiratory protection Incase of inadequate ventilation or risk of inhalation of dust, use a suitable dust mask.

Follow AS/NZS 1715 and AS/NZS 1716 on respiratory protective devices.

Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Skin and body protection Protective work clothing with long sleeves/working pants. In accordance with the

standard AS/NZS 3765 on clothing.

Hygiene measures Wash the hands thoroughly after handling.

Wash contaminated clothing before reuse. Do not eat, drink or smoke in the work area.

Consult PPE manufactures concerning breakthrough times.

Handle in accordance with good industrial hygiene and safety practice.

#### 8.2.3 Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Appearance Solid (powder).

Color White.
Odor Odorless.

 $\begin{array}{lll} \mbox{Odor threshold (ppm)} & \mbox{No data available.} \\ \mbox{pH (Value)} & \mbox{No data available.} \\ \mbox{Melting point / freezing point} & \mbox{No data available.} \\ \mbox{Initial boiling point and boiling range} & \mbox{No data available.} \\ \mbox{Flash point (°C)} & \mbox{>55}^{\circ}\mbox{C(Estimate)} \end{array}$ 



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 1/07/2023 SDS Number: SD-009AU

Evaporation rate No data available. Flammability (solid, gas) No data available. Upper/lower flammability or explosive limits No data available. Vapor pressure No data available. Relative Density No data available. Solubility(ies) Soluble in water. Partition coefficient (n-Octanol/water) both insoluble Auto-ignition temperature ca. 280°C

Decomposition temperature No data available.

Viscosity No data available. Explosive properties No data available. Oxidizing properties No data available.

9.2 Other information No other information available.

#### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable at general storage and handling conditions.

10.2 **Chemical stability** The product is stable under normal use and storage

conditions.

10.3 Possibility of hazardous reactions No data available.

Conditions to avoid 10.4 Overheating. Sparks. Open flame.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) No data available.

### SECTION 11: TOXICOLOGICAL INFORMATION

## Information on toxicological effects

No data are available for the product therefore available data for the components of the product are provided below.

**Acute toxicity** 

Acute oral toxicity Not classified.

Pullulan Mouse LD50 >14.28 g/kg (Other companies SDS)

Methanol Rat LD50 6.2 - 13g/kg (ACGIH), 6200 mg/kg, 9100mg/kg (SIDS), Human

LD 0.3 - 1g/kg (SIDS), Human LD50 1400mg/kg (DFGMAK)

Acute dermal toxicity Not classified.

Methanol Rabbit LD50 15800mg/kg (DFGMAK), monkey LD 1600 - 4000mg/kg

(SIDS)

Acute inhalation toxicity Not classified.

Methanol (vapour) Rat LC50 (8hr) >22500ppm (DFGMAK), monkey LC (1-4hr) ≥52mg/L, LC



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 **Revision Date: 01/07/2023** SDS Number: SD-009AU

(18hr) ≥13mg/L (SIDS)

ATEmix (oral) : 14700mg/kg ATEmix (dermal) : no data available ATEmix (inhalation) : no data available

Skin corrosion/irritation

Not classified. Methanol

Rabbit, Skin irritation test (20 hours): No irritation (DFGMAK)

Rabbit, Skin irritation test (24 hours): Moderate irritation (effects on

delipidation) (DFGMAK)

Serious eye damage/irritation

Methanol

Not classified.

Rabbit, Eye irritation test (Draize test): Conjunctivitis, conjunctival edema (unknown whether these reactions recovered within 7 days)

(EHC)

Rabbit, Eye irritation test: Moderate irritation (EHC)

Classification not possible due to lack of data. Respiratory sensitization

Skin sensitization

Methanol

Not classified.

Guinea pig, Skin sensitization test: Negative (EHC)

Human patch test: Positive (It cannot be concluded that methanol

caused sensitization) (DFGMAK)

Germ cell mutagenicity

Pullulan

Not classified.

S. typhimurium, Ames test: Negative (CCRIS)

Bacillus subtilis, DNA damage repair assay: Positive (RTECS)

Methanol Mouse, Chromosomal aberration test /Sister chromatid exchange assay

/Micronucleus test (inhalation exposure): Negative (DFGMAK) Mouse, Micronucleus test (intraperitoneal administration): Negative

(DFGMAK)

S. typhimurium/E. coli, Ames test: Negative (DFGMAK)

Carcinogenicity

Pullulan

Not classified.

Rat 62 weeks Dietary administration test No toxicity NOAEL: (Male)

>4450 mg/kg/day, (Female) >5080 mg/kg/day (CCRIS)

Rat, Drinking-water administration test, 500 - 20000ppmv/v: Cancer in Methanol

head and neck Blood Lymphatic system tumors (ACGIH)

Rat /Mouse/monkey 18 or 24-month Inhalation exposure test, up to

1000ppm: No incidence of carcinoma (ACGIH)

Reproductive toxicity Classified as Category 1B.

May damage fertility or the unborn child.

Pregnant mouse during organogenesis. Inhalation toxicity test: ≥6500 Methanol

> mg/m3; Fetal resorption and exencephaly in offspring, fetal malformations (nerve and eye abnormalities, cleft palate, hydronephrosis, extremity

abnormalities) (EHC)

Rat on days 7 to 15 of gestation, Inhalation toxicity test: 26000 mg/m3; Fetal malformations (excessive or rudimentary cervical ribs, urinary or

cardiovascular abnormalities), NOAEL=6500 mg/m3 (EHC)



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

STOT - single exposure

Not classified.

Methanol

Human: Acute poisoning symptoms, suppression of the central nervous system, metabolic acidosis, visual disorder, visual loss, headache, vomiting, tachypnea, coma, etc., and occasionally, death (EHC)

Central nervous system disorder, necrosis of the cerebral white matter

(EHC)

Mouse/Rat, Inhalation toxicity test: Anesthetic effects (EHC)

STOT - repeated exposure

Pullulan

Methanol

Not classified.

Rat, 90-day oral toxicity test: No toxic effects (other company's SDS) Rat, 14-month oral toxicity test: No toxic effects (other company's SDS)

Human, Prolonged exposure, Low concentration: Widespread eye

disorder (EHC)

Chronic toxic effects due to occupational exposure: Visual loss (ACGIH) Chronic poisoned patients (vapour exposure): Conjunctivitis, headache, dizziness, insomnia, gastric disorder, bilateral visual loss (ACGIH) Rat, Oral toxicity test: Hepatocellular hypertrophy, etc. (PATTY)

**Aspiration hazard** 

Classification not possible due to lack of data

**Target Organs:** 

None.

Information on the likely routes of exposure: Inhalation, Skin, Eye, Ingestion

**Potential Health Effects** 

Inhalation

Acute (Immediate): No data available. Chronic (Delayed): No data available.

Skin

Acute (Immediate): No data available. Chronic (Delayed): No data available.

Eye

Acute (Immediate): No data available. Chronic (Delayed): No data available.

Ingestion

Acute (Immediate): No data available. Chronic (Delayed): No data available.

**Interactive effects:** No data available.

Acute toxicity estimates: No data available.

**Other information:** No other information available.



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

Product:

Hazardous to the aquatic environment - short term (acute) hazard : not classified Hazardous to the aquatic environment - longt term (chronic) hazard : not classified Methanol Fish (Bluegill) LC50 (96hr) 15400mg/L (SIDS)

Fish (Fathead minnow) LC50 (96hr) 28200mg/L (SIDS) Crustacea (Brine shrimp) EC50 (96hr) 1340mg/L (EHC) Crustacea (Brine shrimp) EC50 (24hr) 900.73mg/L (EHC)

12.2 Persistence and degradability

Pullulan Readily biodegradable (Other companies SDS)

Methanol Biodegradation test (2 weeks): Readily biodegradable (Safety

Assessment Data [METI])

12.3 Bioaccumulative potential

Methanol BCF=0.01 - 0.51, 0.2 (predicted value) (EHC)

12.4 Mobility in soil

Methanol Koc=1 (predicted value) (SIDS)

**12.5** Other adverse effects No additional data available.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### 13.1.1 Residual wastes

Dispose of the product in accordance with local/national/international laws or regulations.

#### 13.1.2 Contaminated containers and packaging

Completely remove the contents prior to disposal of empty containers and packaging in accordance with local/national/international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

14.1	UN number	Not applicable.
14.2	UN Proper Shipping Name	Not applicable.
14.3	Transport hazard class(es)	Not applicable.
14.4	Packing Group	Not applicable.
14.5	Environmental hazards	Not applicable.
14.6	Special precautions for user	None.



14.8

According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable. Hazchem (or Emergency Action) Code: Not applicable.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Regulations:

Montreal Protocol

(Ozone depleting substances): This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors.

The Stockholm Convention (Persistent

Organic Pollutants):

None of the chemicals in this product are listed.

The Rotterdam Convention (Prior Informed

Consent): None of the chemicals in this product are listed. Basel Convention (Hazardous Waste): None of the chemicals in this product are listed.

This SDS is prepared in accordance with the Work Health and Safety Act and Regulation 330, Schedule 7.

Industrial Chemicals (Notification and Assessment) Act 1989 (Commonwealth), including listing on the Australian Inventory of Chemical Substances (AICS): All components are listed on AICS.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act 1989 (Commonwealth) (as amended): Components are not listed.

### **SECTION 16: OTHER INFORMATION**

**Further information** 

Date of preparation of SDS: 02 November 2017

Version: 4.0

Revision: 01. July 2023

#### References:

Safe Work Australia: Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice

Safe Work Australia: Workplace Exposure Standards for Airborne Contaminants

Work Health and Safety Act and Regulation 330, Schedule 7.

The Globally Harmonized System of Classification and Labelling of Chemicals (GHS) (Rev. 7, 2017).

The Australian Inventory of Chemical Substances (AICS)

Hazardous Chemical Information System (HCIS), which can be accessed at www.hcis.safeworkaustralia.gov.au Supplier's data/information.

#### **ABBREVIATIONS**

BCF: Bioconcentration Factor.

EC50: half maximal effective concentration



According to "Preparation of Safety Data Sheets for Hazardous Chemicals" ACoP under section 274 of the Work Health and Safety Act and Regulation 330, Schedule 7.

Version No: 4.0

Date of issue:02/11/2017 Revision Date: 01/07/2023 SDS Number: SD-009AU

LD50: lethal dose, 50%

LC50: lethal concentration, 50%

NOAEL: no-observed-adverse-effect-level STOT: Specific target organ toxicity

#### OTHER INFORMATION

The information in this SDS was obtained from sources which we believe to be reliable, but no warranty or representation regarding the accuracy or completeness is hereby given. All materials may present unknown hazards and should be used with extreme caution. Final determination of suitability of any material is the sole responsibility of the user. Users must perceive information here only as an addition to the information collected by themselves and must decide for itself the suitability and completeness of information from all sources to ensure the correct use and disposal, the safety and health of employees and customers and environmental protection.